

View Online at <https://aerobasegroup.com/nsn/4820-01-259-0348>

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Bolted

Disk Loading Method:

Spring

Bolt Hole Quantity:

8 1st end

Maximum Operating Temp:

250.0 degrees fahrenheit single response

Valve Operation Method:

Automatic or manual

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

3.000 inches

Adjustable Pressure Range:

+15.0/+18.0 pounds per square inch

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

9.000 inches 1st end

Thickness:

0.688 inches 1st end

First Connection Face To Centerline Distance:

5.062 inches

Bolt Hole Diameter:

0.750 inches 2nd end

Second Connection Face To Centerline Distance:

5.062 inches

Bolt Circle Diameter:

7.500 inches 1st end

Flange Face Design:

Plain all ends

Material:

Stainless steel stem

Material Specification:

Qq-n-281 federal specification single material response seat

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Furnished Items And Quantity:

1 lever

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0