## NSN 4820-01-259-0348

Safety Relief Valve - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4820-01-259-0348

AeroBase Group

Flow Control Device: Disk

Bonnet Type:

Inside screw

**Bonnet Attachment Method:** 

Bolted

**Disk Loading Method:** 

Spring

**Bolt Hole Quantity:** 

8 1st end

Maximum Operating Temp:

250.0 degrees fahrenheit single response

Valve Operation Method:

Automatic or manual

Flange Shape:

Round with holes all ends

**Connection Type:** 

Flange all ends

Valve Size:

3.000 inches

Adjustable Pressure Range:

+15.0/+18.0 pounds per square inch

## Maximum Operating Pressure:

150.0 pounds per square inch single response

**Outside Diameter:** 

9.000 inches 1st end

Thickness:

0.688 inches 1st end

First Connection Face To Centerline Distance:

5.062 inches

**Bolt Hole Diameter:** 

0.750 inches 2nd end

## Second Connection Face To Centerline Distance:

5.062 inches

**Bolt Circle Diameter:** 

7.500 inches 1st end

Flange Face Design:

Plain all ends

Material:

Stainless steel stem

Material Specification:

Qq-n-281 federal specification single material response seat

## NSN 4820-01-259-0348

Safety Relief Valve - Page 2 of 2



Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Furnished Items And Quantity:

1 lever

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0