

View Online at <https://aerobasegroup.com/nsn/4820-01-265-0366>

Body Material:

Steel, corrosion resisting

Body Style:

Angle

Media For Which Designed:

Air, water pumped and argon and helium and nitrogen, gaseous

First End Connection Type:

Threaded external tube

First End Style Designator:

Flared

First End Outside Diameter Tube Accommodated:

0.375 inches

First End Thread Size And Series/type Designator:

9/16-18 unf

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Not identical

Second End Connection Type:

Threaded external gas cylinder

Second End Style Designator:

Plain

Second End Thread Size And Series/type Designator:

0.960-14 ngo

Second End Thread Direction:

Right-hand

First End Seat Angle In Deg:

37.0

Flow Control Device:

Disk

End Connection Quantity:

2

Second End Thread Pitch Diameters:

+0.9100/+0.9136 inches

Outlet Pressure Range:

+250.0/+2000.0 pounds per square inch

Regulation Type:

Automatic single stage

Valve Loading Method:

Bellows

Maximum Inlet Pressure Rating:

2000.0 pounds per square inch

Outlet Pressure Accuracy Rating:

1.000 pounds per square inch

Filter:

Included

Specification Data:

81349-mil-r-19180 government specification

Specification Or Standard:

2 type and b2-w class

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100