NSN 4820-01-278-0847

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-278-0847

Flow Control Device:
Disk
Disk Loading Method:
Weight
Bolt Hole Quantity:
8 all ends
Maximum Operating Temp:
500.0 degrees fahrenheit 1st response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal or vertical
Valve Size:
6.000 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Outside Diameter:
11.000 inches all ends
Face To Face Distance:
14.000 inches
Thickness:
0.812 inches all ends
Bolt Hole Diameter:
0.875 inches all ends
Bolt Circle Diameter:
9.500 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Special Features:
Washer used in 4 in. And above
Material:
Iron cast uns f12102 body
Material Specification:
Astm b61 assn standard single material response seat or astm b62 assn standard single material response seat
Media For Which Designed:

Water-oil-gas 2nd response

NSN 4820-01-278-0847

Check Valve - Page 2 of 2



Sty	e	С	es)	ia	n	a	to	r	:
,	_	_		. 3	•••	•		•	•

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0