## NSN 4820-01-278-5427

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-278-5427 Flow Control Device: Disk **Disk Loading Method:** Spring **Bolt Hole Quantity:** 4 all ends **Maximum Operating Temp:** 300.0 degrees fahrenheit single response **Valve Operation Method:** Automatic Flange Shape: Round with holes all ends **Connection Type:** Flange all ends Valve Size: 1.500 inches **Adjustable Pressure Range:** +40.0/+50.0 pounds per square inch **Maximum Operating Pressure:** 350.0 pounds per square inch single response **Outside Diameter:** 5.000 inches all ends Thickness: 0.437 inches all ends **First Connection Face To Centerline Distance:** 2.125 inches **Bolt Hole Diameter:** 0.625 inches all ends **Second Connection Face To Centerline Distance:** 2.750 inches **Bolt Circle Diameter:** 3.875 inches all ends Flange Face Design: Plain all ends Material: Stainless steel stem Media For Which Designed: Water-oil-gas single response **Style Designator:** Err-090

Shelf Life: N/a

## NSN 4820-01-278-5427

Safety Relief Valve - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A046b0