## NSN 4820-01-279-4559

Stop-check Valve - Page 1 of 2

Straight through flanged ends



View Online at https://aerobasegroup.com/nsn/4820-01-279-4559

Flow Control Device:		
Disk		
Bonnet Type:		
Inside screw		
Bonnet Attachment Method:		
Bolted		
Bolt Hole Quantity:		
8 all ends		
Valve Operation Method:		
Manual		
Flange Shape:		
Round with holes all ends		
Connection Type:		
Flange all ends		
Mounting Position:		
Horizontal		
Valve Size:		
6.000 inches		
Maximum Operating Pressure:		
150.0 pounds per square inch single response		
Outside Diameter:		
11.000 inches all ends		
Face To Face Distance:		
14.000 inches		
Thickness:		
0.813 inches all ends		
Bolt Hole Diameter:		
0.875 inches all ends		
Bolt Circle Diameter:		
11.750 inches all ends		
Flange Face Design:		
Plain all ends		
Special Features:		
Monel trim		
Material:		
Nickel alloy 400 seat or nickel alloy 400 seat		
Material Specification:		
Qq-n-281 federal specification single material response seat or qq-n-288 federal specification single material response seat		
Media For Which Designed:		
Water-oil-gas 2nd response		
Style Designator:		

## NSN 4820-01-279-4559

Stop-check Valve - Page 2 of 2



urnished	Items And	d Quantity:
----------	-----------	-------------

1 handwheel

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A530b0