## NSN 4820-01-281-5167

Safety Relief Valve - Page 1 of 2

Flow Control Device:

**Disk Loading Method:** 

**Bolt Hole Quantity:** 

Disk

Spring

4 all ends



View Online at https://aerobasegroup.com/nsn/4820-01-281-5167

Maximum Operating Temp:
250.0 degrees fahrenheit single response
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.500 inches
Adjustable Pressure Range:
+49.0/+61.0 pounds per square inch
Maximum Operating Pressure:
400.0 pounds per square inch single response
Outside Diameter:
3.500 inches all ends
Thickness:
0.437 inches all ends
First Connection Face To Centerline Distance:
3.437 inches
Bolt Hole Diameter:
0.625 inches all ends
Second Connection Face To Centerline Distance:
3.437 inches
Bolt Circle Diameter:
2.375 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
1.375 inches all ends
Material:
Stainless steel stem
Media For Which Designed:

## NSN 4820-01-281-5167

Safety Relief Valve - Page 2 of 2



Style	Designator:
Err-09	0

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0