## NSN 4820-01-282-2477

Angle Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-282-2477

Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
8 all ends
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
6.000 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Outside Diameter:
11.000 inches all ends
Thickness:
0.812 inches all ends
First Connection Face To Centerline Distance:
7.000 inches
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
9.500 inches all ends
Flange Face Design:
Plain all ends
Material:
Nickel alloy 400 stem
Media For Which Designed:
Water, salt 3rd response
Style Designator:
Err-090
Supplementary Features:
This item has been reviewed for asbestos material; the current approved sources; 30263 have indicated their part number contained
asbestos prior to 1984, they continue to manufacture the same part number without asbestos material after 1984
Shelf Life:
N/a
Unit Of Measure:

\_\_

## NSN 4820-01-282-2477

Angle Valve - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A046b0