

View Online at <https://aerobasegroup.com/nsn/4820-01-283-9598>

**Flow Control Device:**

Disk

**Bonnet Type:**

Outside screw-yoke

**Bonnet Attachment Method:**

Bolted

**Bolt Hole Quantity:**

8 all ends

**Valve Operation Method:**

Manual

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Features Provided:**

Bonnet packing

**Valve Size:**

5.000 inches

**Maximum Operating Pressure:**

150.0 pounds per square inch single response

**Outside Diameter:**

10.000 inches all ends

**Thickness:**

0.750 inches all ends

**First Connection Face To Centerline Distance:**

6.250 inches

**Bolt Hole Diameter:**

0.875 inches all ends

**Second Connection Face To Centerline Distance:**

5.750 inches

**Bolt Circle Diameter:**

5.500 inches all ends

**Flange Face Design:**

Plain all ends

**Material:**

Nickel alloy 400 stem

**Material Specification:**

Qq-n-281 federal specification single material response stem

**Media For Which Designed:**

Water, fresh single response

**Style Designator:**

Err-090

**Supplementary Features:**

This item has been reviewed for asbestos material; the current approved sources; 30263 have indicated their part number contained asbestos prior to 1984, they continue to manufacture the same part number without asbestos material after 1984

**Furnished Items And Quantity:**

1 handwheel

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0