# NSN 4820-01-284-2170

Stop-check Valve - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4820-01-284-2170

Flow Control Device:

Disk

Bonnet Type:

Outside screw-yoke

**Bonnet Attachment Method:** 

Bolted

### **Bolt Hole Quantity:**

4 all ends

### Valve Operation Method:

Manual

Flange Shape:

Round with holes all ends

#### **Connection Type:**

Flange all ends

Valve Size:

2.500 inches

#### Maximum Operating Pressure:

150.0 pounds per square inch single response

#### **Outside Diameter:**

7.000 inches all ends

## Face To Face Distance:

8.000 inches

### Thickness:

0.562 inches all ends

#### **Bolt Hole Diameter:**

0.750 inches all ends

### Bolt Circle Diameter:

5.500 inches all ends

#### Flange Face Design:

Plain all ends

Material:

Copper alloy body

#### Material Specification:

Astm b61 assn standard single material response flow control device or astm b62 assn standard single material response flow control device

#### Style Designator:

Straight through flanged ends

## Furnished Items And Quantity:

1 handwheel

### Shelf Life:

N/a

#### Unit Of Measure:

--



# NSN 4820-01-284-2170

Stop-check Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A530b0

