NSN 4820-01-288-5256

Check Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-288-5256

| Pipe Size Accommodated: |
|--------------------------------------------------------------|
| 1.500 inches all ends |
| Flow Control Device: |
| Disk |
| Maximum Operating Temp: |
| 406.0 degrees fahrenheit single response |
| Connection Style: |
| Socket (pipe) all ends |
| Valve Operation Method: |
| Automatic |
| Connection Type: |
| Unthreaded internal pipe all ends |
| Mounting Position: |
| Horizontal or vertical |
| Maximum Operating Pressure: |
| 200.0 pounds per square inch 2nd response |
| Material: |
| Rubber butadiene-acrylonitrile class nbr flow control device |
| Material Specification: |
| Astm b-62 assn standard single material response body |
| Media For Which Designed: |
| Water-oil-gas 2nd response |
| Style Designator: |
| Straight thru |
| Specification Data: |
| 59646-mss-sp-80 professional/industrial association standard |
| Specification Or Standard: |
| 4 type and 125 class and b end and 1.500 size |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A530b0 |
| |