## NSN 4820-01-294-7212

Check Valve - Page 1 of 2

Straight through flanged ends



View Online at https://aerobasegroup.com/nsn/4820-01-294-7212

Flow Control Project				
Flow Control Device:				
Disk				
Bolt Hole Quantity:				
4 all ends				
Maximum Operating Temp:				
500.0 degrees fahrenheit single response				
Valve Operation Method:				
Automatic				
Flange Shape:				
Round with holes all ends				
Connection Type:				
Flange all ends				
Mounting Position:				
Horizontal				
Valve Size:				
2.000 inches				
Maximum Operating Pressure:				
150.0 pounds per square inch single response				
Outside Diameter:				
6.000 inches all ends				
Face To Face Distance:				
8.000 inches				
Thickness:				
0.625 inches all ends				
Bolt Hole Diameter:				
0.750 inches all ends				
Bolt Circle Diameter:				
4.750 inches all ends				
Flange Face Design:				
Raised straight all ends				
Raised Face Height:				
0.063 inches all ends				
Raised Face Diameter:				
3.625 inches all ends				
Special Features:				
Sthis item has been reviewed for asbestos material, the current approved sources, 11661 have indicated their part number contained				
asbestos prior to 1984, they continue to manufacture the same part number without asbestos material after 1984				
Material:				
Steel comp 316 body				
Media For Which Designed:				
Water-oil-gas single response				
Style Designator:				

## NSN 4820-01-294-7212

Check Valve - Page 2 of 2



-			 
٠.	hΔ	Iŧ.	ife:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A530b0