NSN 4820-01-297-5012

Globe Valve - Page 1 of 2

1 handwheel



View Online at https://aerobasegroup.com/nsn/4820-01-297-5012

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
4 all ends
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.750 inches
Maximum Operating Pressure:
600.0 pounds per square inch single response
Outside Diameter:
4.625 inches all ends
Face To Face Distance:
7.562 inches
Thickness:
0.625 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
3.250 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.250 inches all ends
Raised Face Diameter:
1.688 inches all ends
Special Features:
Stop valve type; centerless ground and hardened stems
Material:
Steel uns k03504 bodystainless steel flow control devicestainless steel seatstainless steel stem
Style Designator:
Err-090
Furnished Items And Quantity:

NSN 4820-01-297-5012

Globe Valve - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0