NSN 4820-01-299-5679

Check Valve - Page 1 of 2



view Online at https://aerobasegroup.com/hsn/4620-01-299-5679
Flow Control Device:
Disk
Bolt Hole Quantity:
8 all ends
Maximum Operating Temp:
450.0 degrees fahrenheit 1st response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal or vertical
Valve Size:
3.500 inches
Maximum Operating Pressure:
300.0 pounds per square inch 1st response
Outside Diameter:
8.500 inches all ends
Face To Face Distance:
10.500 inches
Thickness:
0.688 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
7.000 inches all ends
Flange Face Design:
Plain all ends
Special Features:
Bolted bonnet; swing type; cotter pin used on 2.500 in.And above
Material:
Nickel alloy 400 seat
Material Specification:
Astm b61 assn standard single material response flow control device or astm 62 assn standard single material response flow control device
Media For Which Designed:
Steam single response
Style Designator:
Straight through flanged ends
Shelf Life:

N/a

NSN 4820-01-299-5679

Check Valve - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A530b0