NSN 4820-01-305-9795

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-305-9795

Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Bolt Hole Quantity:
4 all ends
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.500 inches
Adjustable Pressure Range:
+46.0/+56.0 pounds per square inch
Outside Diameter:
3.875 inches 1st end
Thickness:
0.344 inches 1st end
First Connection Face To Centerline Distance:
1.438 inches
Bolt Hole Diameter:
0.625 inches all ends
Second Connection Face To Centerline Distance:
2.625 inches
Bolt Circle Diameter:
2.750 inches 1st end
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
1.688 inches 1st end
Material:
Steel stem
Style Designator:
Err-090
Shelf Life:
N/a

NSN 4820-01-305-9795

Safety Relief Valve - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A046b0