NSN 4820-01-306-0211

Safety Relief Valve - Page 1 of 2

Flow Control Device:

Bolt Hole Quantity:

Maximum Operating Temp:

Valve Operation Method:

100.0 degrees fahrenheit single response

Disk

8 all ends



View Online at https://aerobasegroup.com/nsn/4820-01-306-0211

·
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
4.000 inches
Adjustable Pressure Range:
+196.0/+227.0 pounds per square inch
Maximum Operating Pressure:
500.0 pounds per square inch single response
Outside Diameter:
11.000 inches 1st end
Thickness:
1.250 inches 2nd end
First Connection Face To Centerline Distance:
7.125 inches
Bolt Hole Diameter:
0.875 inches all ends
Second Connection Face To Centerline Distance:
7.062 inches
Bolt Circle Diameter:
9.500 inches 1st end
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
8.500 inches 1st end
Material: Stool comp 620 flow control device
Steel comp 630 flow control device
Media For Which Designed:
Water-oil-gas single response Style Designator:
Err-090
E11-030

NSN 4820-01-306-0211

Safety Relief Valve - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0