Check Valve - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4820-01-307-6088



Flow Control Device:

Disk

Renewable Seat Ring Type:

Threaded or welded

Bolt Hole Quantity:

4 all ends

Maximum Operating Temp:

500.0 degrees fahrenheit single response

Valve Operation Method:

Automatic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Mounting Facility:

Bracket

Bradhot

Mounting Position:

Horizontal

Valve Size:

2.000 inches

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

6.000 inches all ends

Face To Face Distance:

8.000 inches

Thickness:

0.750 inches all ends

Bolt Hole Diameter:

0.750 inches all ends

Bolt Circle Diameter:

4.750 inches all ends

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

3.625 inches all ends

Special Features:

Swing type

Material:

Steel body

NSN 4820-01-307-6088

Check Valve - Page 2 of 2



Media For Which Designed:

Water-oil-gas single response

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A530b0