NSN 4820-01-311-9462

Safety Relief Valve - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4820-01-311-9462

Flow Control Device: Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

4 all ends

Valve Operation Method:

Automatic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

1.500 inches

Opening Pressure Setting:

740.0 pounds per square inch

Outside Diameter:

6.000 inches 1st end

Thickness:

0.812 inches 2nd end

First Connection Face To Centerline Distance:

6.000 inches

Bolt Hole Diameter:

0.875 inches 2nd end

Second Connection Face To Centerline Distance:

4.438 inches

Bolt Circle Diameter:

4.500 inches 2nd end

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

3.625 inches 1st end

Material:

Stainless steel flow control device

Style Designator:

Err-090

Shelf Life:

N/a



NSN 4820-01-311-9462

Safety Relief Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

