## NSN 4820-01-316-2500

Safety Relief Valve - Page 1 of 2

Flow Control Device:

**Bonnet Attachment Method:** 

Bonnet Type: Inside screw

Disk



View Online at https://aerobasegroup.com/nsn/4820-01-316-2500

Threaded
Bolt Hole Quantity:
6 all ends
Maximum Operating Temp:
425.0 degrees fahrenheit single response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
2.000 inches
Adjustable Pressure Range:
+45.0/+75.0 pounds per square inch
Maximum Operating Pressure:
400.0 pounds per square inch single response
Outside Diameter:
5.562 inches all ends
Thickness:
0.400 '
0.438 inches all ends
First Connection Face To Centerline Distance:
First Connection Face To Centerline Distance:
First Connection Face To Centerline Distance: 6.219 inches
First Connection Face To Centerline Distance: 6.219 inches Bolt Hole Diameter:
First Connection Face To Centerline Distance: 6.219 inches Bolt Hole Diameter: 0.562 inches all ends
First Connection Face To Centerline Distance: 6.219 inches Bolt Hole Diameter: 0.562 inches all ends Second Connection Face To Centerline Distance:
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter:
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter: 4.438 inches all ends
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter: 4.438 inches all ends  Flange Face Design:
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter: 4.438 inches all ends  Flange Face Design:  Plain all ends
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter: 4.438 inches all ends  Flange Face Design: Plain all ends  Material:
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter: 4.438 inches all ends  Flange Face Design: Plain all ends  Material: Steel comp 316 stem
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter: 4.438 inches all ends  Flange Face Design: Plain all ends  Material: Steel comp 316 stem  Media For Which Designed:
First Connection Face To Centerline Distance: 6.219 inches  Bolt Hole Diameter: 0.562 inches all ends  Second Connection Face To Centerline Distance: 6.219 inches  Bolt Circle Diameter: 4.438 inches all ends  Flange Face Design: Plain all ends  Material: Steel comp 316 stem  Media For Which Designed: Water-oil-gas single response

## NSN 4820-01-316-2500

Safety Relief Valve - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0