## NSN 4820-01-320-1743



Safety Relief Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-01-320-1743 Flow Control Device: Disk **Bolt Hole Quantity:** 4 all ends **Maximum Operating Temp:** 100.0 degrees fahrenheit single response **Valve Operation Method:** Automatic or manual Flange Shape: Round with holes all ends **Connection Type:** Flange all ends Valve Size: 1.000 inches **Adjustable Pressure Range:** +62.0/+77.0 pounds per square inch **Maximum Operating Pressure:** 285.0 pounds per square inch single response **Outside Diameter:** 6.000 inches 2nd end Thickness: 0.688 inches 1st end **First Connection Face To Centerline Distance:** 4.500 inches **Bolt Hole Diameter:** 0.750 inches all ends **Second Connection Face To Centerline Distance:** 4.125 inches **Bolt Circle Diameter:** 4.750 inches 2nd end Flange Face Design: Raised straight all ends **Raised Face Height:** 

0.250 inches 1st end
Raised Face Diameter:
3.625 inches 2nd end
Material:
Steel uns j03002 body
Style Designator:

Err-090

Shelf Life:

N/a

## NSN 4820-01-320-1743

Safety Relief Valve - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A046b0