## NSN 4820-01-331-6133

Safety Relief Valve - Page 1 of 2

Flow Control Device:

Bonnet Type: Inside screw

Disk



View Online at https://aerobasegroup.com/nsn/4820-01-331-6133

| Bonnet Attachment Method:                      |  |
|--|--|
| Union  |  |
| Bolt Hole Quantity:                            |  |
| 8 all ends                                     |  |
| Maximum Operating Temp:                        |  |
| 150.0 degrees fahrenheit single response       |  |
| Valve Operation Method:                        |  |
| Automatic                                      |  |
| Flange Shape:                                  |  |
| Round with holes all ends                      |  |
| Connection Type:                               |  |
| Flange all ends                                |  |
| Valve Size:                                    |  |
| 0.750 inches                                   |  |
| Adjustable Pressure Range:                     |  |
| +110.0/+160.0 pounds per square inch           |  |
| Maximum Operating Pressure:                    |  |
| 400.0 pounds per square inch single response   |  |
| Outside Diameter:                              |  |
| 1.050 inches all ends                          |  |
| Thickness:                                     |  |
| 0.688 inches all ends                          |  |
| First Connection Face To Centerline Distance:  |  |
| 3.672 inches                                   |  |
| Bolt Hole Diameter:                            |  |
| 0.562 inches all ends                          |  |
| Second Connection Face To Centerline Distance: |  |
| 3.672 inches                                   |  |
| Bolt Circle Diameter:                          |  |
| 3.188 inches all ends                          |  |
| Flange Face Design:                            |  |
| Plain all ends                                 |  |
| Material:                                      |  |
| Nickel alloy body                              |  |
| Media For Which Designed:                      |  |
| Liquid single response                         |  |
| Style Designator:                              |  |
| Err-090  |  |
|  |  |

## NSN 4820-01-331-6133

Safety Relief Valve - Page 2 of 2



| She  | lf | Life: |  |
|------|----|-------|--|
| Oile | •• | LIIV. |  |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0