

View Online at <https://aerobasegroup.com/nsn/4820-01-332-6809>

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Integral

Disk Loading Method:

Spring

Renewable Seat Ring Type:

Threaded

Bolt Hole Quantity:

8 1st end

Valve Operation Method:

Automatic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

1.500 inches

Maximum Operating Pressure:

2500.0 pounds per square inch single response

Opening Pressure Setting:

2000.0 pounds per square inch

Outside Diameter:

6.125 inches 2nd end

Thickness:

2.250 inches 1st end

First Connection Face To Centerline Distance:

6.500 inches

Bolt Hole Diameter:

1.250 inches 1st end

Second Connection Face To Centerline Distance:

5.500 inches

Bolt Circle Diameter:

7.750 inches 1st end

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.688 inches 2nd end

Raised Face Diameter:

4.125 inches 1st end

Material:

Stainless steel stem

Media For Which Designed:

Air 1st response

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0