NSN 4820-01-333-0089

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-333-0089

| Flow Control Device: |
|--|
| Disk |
| Bolt Hole Quantity: |
| 8 1st end |
| Valve Operation Method: |
| Automatic |
| Flange Shape: |
| Round with holes all ends |
| Connection Type: |
| Flange all ends |
| Valve Size: |
| 3.000 inches |
| Opening Pressure Setting: |
| 660.0 pounds per square inch |
| Outside Diameter: |
| 12.500 inches 2nd end |
| Thickness: |
| 1.875 inches 1st end |
| First Connection Face To Centerline Distance: |
| 7.750 inches |
| Bolt Hole Diameter: |
| 1.250 inches 1st end |
| Second Connection Face To Centerline Distance: |
| 8.500 inches |
| Bolt Circle Diameter: |
| 8.000 inches 1st end |
| Flange Face Design: |
| Raised straight all ends |
| Raised Face Height: |
| 0.250 inches 1st end |
| Raised Face Diameter: |
| 8.500 inches 2nd end |
| Material: |
| Steel body |
| Style Designator: |
| Err-090 |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 4820-01-333-0089

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0