

View Online at <https://aerobasegroup.com/nsn/4820-01-334-1374>

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Bolted

Disk Loading Method:

Spring

Bolt Hole Quantity:

4 2nd end

Valve Operation Method:

Automatic

Flange Shape:

Round with holes 2nd end

Connection Type:

Flange 1st end

Valve Size:

2.500 inches

Adjustable Pressure Range:

+19.0/+25.0 pounds per square inch

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

5.000 inches 2nd end

Thickness:

0.688 inches 1st end

First Connection Face To Centerline Distance:

4.750 inches

Bolt Hole Diameter:

0.750 inches 1st end

Second Connection Face To Centerline Distance:

4.875 inches

Bolt Circle Diameter:

5.500 inches 1st end

Flange Face Design:

Raised straight 2nd end

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

4.125 inches 1st end

Material:

Steel comp 316 flow control device

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0