Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-343-3292

Body Material:
Zinc
Body Style:
Tee
Media For Which Designed:
Air
First End Connection Type:
Threaded internal pipe
First End Style Designator:
Plain
First End Thread Size And Series/type Designator:
1/4-18 npt
First End Thread Direction:
Right-hand
Second End Relationship With First End:
Identical
Seat Material:
Rubber, buna-n
Face To Face Distance:
2.625 inches
First Connection Face To Centerline Distance:
4.313 inches
Packing Material:
Rubber, buna-n
Flow Control Device:
Piston, free type
End Connection Quantity:
2
Regulation Type:
Manual single stage
Manual Control Method:
Knob
Valve Loading Method:
Dome
Remote Actuation Method:
Piston
Maximum Inlet Pressure Rating:
150.0 pounds per square inch
Outlet Pressure Setting:
250.0 pounds per square inch
Filter:
Included

Fluid Pressure Regulating Valve - Page 2 of 2



Tempurature Rating:

125.0 degrees fahrenheit

Special Features:

Filter-regulator assembly 5.625in.O/a w x 5.625in.O/a h; filter body zinc, bowl polycarbonate w/metal guard, centrifugal-type element porous bronze, sump baffle acetal, 40.0micron; 1/4npt ports; manual drain

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A21100