

View Online at <https://aerobasegroup.com/nsn/4820-01-348-4263>

**Flow Control Device:**

Disk

**Bolt Hole Quantity:**

4 all ends

**Maximum Operating Temp:**

43.0 degrees fahrenheit 2nd response

**Width:**

3.250 inches all ends

**Length:**

4.000 inches all ends

**Valve Operation Method:**

Automatic

**Flange Shape:**

Rectangular with holes all ends

**Connection Type:**

Flange all ends

**Mounting Facility:**

Bracket

**Mounting Position:**

Horizontal

**Valve Size:**

2.500 inches

**Maximum Operating Pressure:**

1.0 pounds per square inch single response

**Face To Face Distance:**

1.420 inches

**Thickness:**

0.062 inches all ends

**Bolt Hole Diameter:**

0.174 inches all ends

**Center To Center Distance Between Bolt Holes Along Length:**

2.625 inches all ends

**Center To Center Distance Between Bolt Holes Along Width:**

2.375 inches all ends

**Flange Face Design:**

Plain all ends

**Material:**

Stainless steel seat

**Material Specification:**

Qq-a-596 federal specification 1st material response flow control device or qq-a-275/6 federal specification 2nd material response flow control device

**Media For Which Designed:**

Water-oil-gas single response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:**

Straight through flanged ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A530b0

**Mil-std (military Standard):**

Mil-s-5059 spec.