

View Online at <https://aerobasegroup.com/nsn/4820-01-356-2641>

Flow Control Device:

Disk

Bonnet Type:

Outside screw-yoke

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

4 all ends

Maximum Operating Temp:

800.0 degrees fahrenheit single response

Valve Operation Method:

Manual

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

1.500 inches

Maximum Operating Pressure:

1500.0 pounds per square inch single response

Outside Diameter:

7.000 inches all ends

Face To Face Distance:

15.500 inches

Thickness:

1.250 inches all ends

Bolt Hole Diameter:

1.125 inches all ends

Bolt Circle Diameter:

4.875 inches all ends

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.250 inches all ends

Raised Face Diameter:

2.875 inches all ends

Material:

Steel body stainless steel flow control device stainless steel seat stainless steel stem

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Specification Data:

81349-mil-v-17737f government specification

Specification Or Standard:

2 type and 2 class

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0