## NSN 4820-01-373-3073

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-373-3073 **Thread Direction:** Right-hand all ends **Flow Control Device:** Needle **Bonnet Type:** Outside screw-yoke **Bonnet Attachment Method:** Bolted **Maximum Operating Temp:** 350.0 degrees fahrenheit single response **End Application:** 5865-01-338-0526 **Connection Style:** G9 plain, optional en (pipe) all ends Valve Operation Method: Manual **Connection Type:** Threaded external pipe all ends **Maximum Operating Pressure:** 5000.0 pounds per square inch single response **Thread Size:** 

0.250 inches all ends

Material:

Steel comp 316 bodysteel comp 316 flow control deviceplastic polychlorotrifluoroethylene seatsteel comp 316 stem

## **Material Specification:**

Astma182 assn standard single material response bodyastma182 assn standard single material response flow control deviceastma182 assn standard single material response seatastma182 assn standard single material response stem

**Surface Treatment:** 

**Passivate** 

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response

**Style Designator:** 

Err-090

**Thread Series Designator:** 

Npt all ends

**Furnished Items And Quantity:** 

1 handle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

## NSN 4820-01-373-3073

Globe Valve - Page 2 of 2



Fiig:

A046b0