NSN 4820-01-391-3306

Safety Relief Valve - Page 1 of 2

Flow Control Device:

View Online at https://aerobasegroup.com/nsn/4820-01-391-3306



Disk **Bonnet Type:** Inside screw **Bonnet Attachment Method:** Bolted **Bolt Hole Quantity:** 14 1st end **Maximum Operating Temp:** 150.0 degrees fahrenheit single response Valve Operation Method: Automatic Flange Shape: Round with holes all ends **Connection Type:** Flange all ends Valve Size: 6.000 inches Maximum Operating Pressure: 150.0 pounds per square inch single response **Opening Pressure Setting:** 98.0 pounds per square inch **Outside Diameter:** 12.375 inches 1st end Thickness: 0.625 inches 1st end **First Connection Face To Centerline Distance:** 9.500 inches **Bolt Hole Diameter:**

0.688 inches all ends

Second Connection Face To Centerline Distance:

8.750 inches

Bolt Circle Diameter:

8.875 inches 2nd end

Flange Face Design:

Plain all ends

Material:

Steel comp 303 stem

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

NSN 4820-01-391-3306

Safety Relief Valve - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

