## NSN 4820-01-395-7316

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-395-7316 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: Disk **Bonnet Type:** Inside spring **Bonnet Attachment Method: Bolted Disk Loading Method:** Spring **Maximum Operating Temp:** 250.0 degrees fahrenheit single response **End Application:** Aircraft; f-15-e **Connection Style:** G43 external seat for gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss all ends Thready Qty Per Inch (tpi): 18 all ends **Thread Size:** 0.562 inches all ends Seat Angle: 37.0 degrees all ends **Opening Pressure Setting:** 4.7 pounds per square inch Material: Aluminum flow control device Media For Which Designed: Air single response **Surface Treatment:** Anodize **Style Designator:** Err-090 **Thread Series Designator:** Unj all ends

N/a

Shelf Life:

## NSN 4820-01-395-7316

Safety Relief Valve - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A046b0