NSN 4820-01-398-5711

Globe Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-01-398-5711

Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Union
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
406.0 degrees fahrenheit 1st response
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
1.000 inches
Maximum Operating Pressure:
225.0 pounds per square inch 2nd response
Outside Diameter:
4.250 inches all ends
Face To Face Distance:
4.188 inches
Thickness:
0.375 inches all ends
Bolt Hole Diameter:
0.625 inches all ends
Bolt Circle Diameter:
3.125 inches all ends
Flange Face Design:
Plain all ends
Material:
Copper alloy
Material Specification:
Astm b124 alloy 377 assn standard single material response stem
Media For Which Designed:
Water-oil-gas 2nd response
Style Designator:
Err-090
Furnished Items And Quantity:
1 handwheel

NSN 4820-01-398-5711

Globe Valve - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0