NSN 4820-01-406-8794

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-406-8794 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Bonnet Type:** Inside screw **Bonnet Attachment Method:** Integral **Disk Loading Method:** Spring **Maximum Operating Temp:** 300.0 degrees fahrenheit single response **End Application:** 6685-01-356-6542 **Connection Style:** G43 external seat for gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external boss all ends **Maximum Operating Pressure:** 3.0 pounds per square inch single response **Thread Size:** 0.563 inches all ends Seat Angle: 37.0 degrees all ends **Opening Pressure Setting:** 3.0 pounds per square inch **Special Features:** Anodize mil-a-8625, type ii black Material: Aluminum alloy 2011 seat Media For Which Designed: Air single response **Style Designator:** Err-090 **Thread Series Designator:** Unf all ends Shelf Life:

N/a

NSN 4820-01-406-8794

Safety Relief Valve - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A046b0