

View Online at <https://aerobasegroup.com/nsn/4820-01-417-5929>

Pipe Size Accommodated:

4.000 inches 1st end

Flow Control Device:

Disk

Bonnet Type:

Outside screw-yoke

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

8 2nd end

End Application:

Supply class aoe

Connection Style:

G72b beveled (pipe) 1st end

Valve Operation Method:

Manual

Flange Shape:

Round with holes 2nd end

Connection Type:

Flange 2nd end

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

9.000 inches 2nd end

Thickness:

0.938 inches 2nd end

Bolt Hole Diameter:

0.750 inches 2nd end

Bolt Circle Diameter:

7.500 inches 2nd end

Flange Face Design:

Raised straight 2nd end

Raised Face Height:

0.062 inches 2nd end

Raised Face Diameter:

5.500 inches 2nd end

Special Features:

Stop check type valve

Material:

Steel comp 316 stem

Media For Which Designed:

Liquid single response

Style Designator:

Err-090

Specification Data:

81349-mil-v-22052d government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0