## NSN 4820-01-420-2535

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-420-2535

| Flow Control Device:                                 |
|--|
| Disk   |
| Bolt Hole Quantity:                                  |
| 12 all ends  |
| End Application:                                     |
| Strategic sealift conversion ships class             |
| Valve Operation Method:                              |
| Automatic  |
| Flange Shape:  |
| Round with holes all ends                            |
| Connection Type:                                     |
| Flange all ends                                      |
| Mounting Position:                                   |
| Horizontal or vertical                               |
| Valve Size:  |
| 14.000 inches  |
| <b>Maximum Operating Pressure:</b>                   |
| 150.0 pounds per square inch single response         |
| Outside Diameter:                                    |
| 21.000 inches all ends                               |
| Face To Face Distance:                               |
| 7.500 inches   |
| Thickness:   |
| 1.380 inches all ends                                |
| Bolt Hole Diameter:                                  |
| 1.120 inches all ends                                |
| Bolt Circle Diameter:                                |
| 18.750 inches all ends                               |
| Flange Face Design:                                  |
| Plain all ends                                       |
| Material:  |
| Nickel alloy flow control device                     |
| Material Specification:                              |
| Astm b61 assn standard single material response seat |
| Style Designator:                                    |
| Straight through flanged ends                        |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:                                     |
|  |
| Demilitarization:                                    |

No

## NSN 4820-01-420-2535

Check Valve - Page 2 of 2



Fiig:

A530b0