NSN 4820-01-421-4705

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-421-4705

Flow Control Device:
Disk
Bolt Hole Quantity:
8 all ends
Maximum Operating Temp:
800.0 degrees fahrenheit 3rd response
End Application:
Strategic sealift conversion ships class
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal
Valve Size:
6.000 inches
Maximum Operating Pressure:
80.0 pounds per square inch 3rd response
Outside Diameter:
11.000 inches all ends
Face To Face Distance:
14.000 inches
Thickness:
1.000 inches all ends
Bolt Hole Diameter:
0.875 inches all ends
Bolt Circle Diameter:
9.500 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
8.500 inches all ends
Material:
Steel uns k91151 seat
Material Specification:
Astm a216, grade wcb assn standard single material response flow control device
Style Designator:
Straight through flanged ends

NSN 4820-01-421-4705

Check Valve - Page 2 of 2



-			
٠.	hΔ	Iŧ.	ife:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0