NSN 4820-01-422-0295

Check Valve - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/4820-01-422-0295

3b 2nd end
Thread Direction:
Right-hand all ends
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
400.0 degrees fahrenheit single response
Minimum Operating Temp:
-20.0 degrees fahrenheit
End Application:
170' patrol coastal
Connection Style:
Gasket seal (boss) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded internal tube 2nd end
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.750 inches all ends
Opening Pressure Setting:
0.5 pounds per square inch
Outside Diameter Tube Accommodated:
0.391 inches 2nd end
Material:
Stainless steel body
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
Straight thru
Thread Series Designator:
Unjf all ends
Shelf Life:
N/a
Unit Of Measure:

NSN 4820-01-422-0295

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0