NSN 4820-01-423-3448

Safety Relief Valve - Page 1 of 2

Disk Loading Method:

Bolt Hole Quantity:

Spring

4 all ends



View Online at https://aerobasegroup.com/nsn/4820-01-423-3448

Maximum Operating Temp:
100.0 degrees fahrenheit single response
End Application:
Nimitz class cvn
Valve Operation Method:
Automatic or manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.500 inches
Maximum Operating Pressure:
275.0 pounds per square inch single response
Opening Pressure Setting:
165.0 pounds per square inch
Outside Diameter:
4.250 inches 1st end
Thickness:
0.562 inches 1st end
First Connection Face To Centerline Distance:
3.562 inches
Bolt Hole Diameter:
0.625 inches all ends
Second Connection Face To Centerline Distance:
3.250 inches
Bolt Circle Diameter:
3.125 inches 1st end
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches 1st end
Raised Face Diameter:
1.938 inches 1st end
Material:
Steel comp 316 stem
Style Designator:
Err-090

NSN 4820-01-423-3448

Safety Relief Valve - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0