NSN 4820-01-424-6205

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-424-6205

Thread Class:
3a all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
250.0 degrees fahrenheit single response
Minimum Operating Temp:
-40.0 degrees fahrenheit
End Application:
4120-nc-d00-7527; support equipment, b
Connection Style:
Flared (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube all ends
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
16 all ends
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.500 inches all ends
Seat Angle:
37.0 degrees all ends
Opening Pressure Setting:
1.0 pounds per square inch
Material:
Steel comp 316 body
Media For Which Designed:
Ammonia, gaseous 3rd response
Style Designator:
Straight thru
Thread Series Designator:
Unj all ends
Shelf Life:
N/a

NSN 4820-01-424-6205

Check Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A530b0