NSN 4820-01-425-9570

Globe Valve - Page 1 of 2

Flow Control Device:

Bolt Hole Quantity:

Bonnet Attachment Method:

Stem

Bolted

4 all ends

Bonnet Type: Inside screw



View Online at https://aerobasegroup.com/nsn/4820-01-425-9570

Maximum Operating Temp:
100.0 degrees fahrenheit single response
End Application:
Mars class afs
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.750 inches
Maximum Operating Pressure:
1480.0 pounds per square inch single response
Outside Diameter:
4.620 inches all ends
Face To Face Distance:
7.500 inches
Thickness:
0.062 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
Boil Gircle Diameter.
3.250 inches all ends
3.250 inches all ends
3.250 inches all ends Flange Face Design:
3.250 inches all ends Flange Face Design: Raised straight all ends
3.250 inches all ends Flange Face Design: Raised straight all ends Raised Face Height:
3.250 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.250 inches all ends
3.250 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.250 inches all ends Raised Face Diameter:
3.250 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.250 inches all ends Raised Face Diameter: 1.000 inches all ends
3.250 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.250 inches all ends Raised Face Diameter: 1.000 inches all ends Material:
3.250 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.250 inches all ends Raised Face Diameter: 1.000 inches all ends Material: Steel body
3.250 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.250 inches all ends Raised Face Diameter: 1.000 inches all ends Material: Steel body Material Specification:

NSN 4820-01-425-9570

Globe Valve - Page 2 of 2



Style Designator:
Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0