

View Online at <https://aerobasegroup.com/nsn/4820-01-432-6588>

Thread Class:

2b all ends

Thread Direction:

Right-hand all ends

Bolt Hole Quantity:

8 all ends

Maximum Operating Temp:

180.0 degrees fahrenheit single response

Minimum Operating Temp:

0.0 degrees fahrenheit

End Application:

Mars class afs

Valve Operation Method:

Manual

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

6.000 inches

Thready Qty Per Inch (tpi):

10 all ends

Maximum Operating Pressure:

200.0 pounds per square inch single response

Thread Size:

0.750 inches all ends

Outside Diameter:

8.750 inches all ends

Face To Face Distance:

2.120 inches

Thickness:

2.120 inches all ends

Bolt Hole Diameter:

0.750 inches all ends

Bolt Circle Diameter:

9.500 inches all ends

Flange Face Design:

Plain all ends

Butterfly Valve Size:

6.000 inches

Special Features:

10 position locking lever

Material:

Steel comp 416 stem

Material Specification:

Astm a582, comp 416 assn standard single material response stem

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Furnished Items And Quantity:

1 lever

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0