NSN 4820-01-434-5487

Safety Relief Valve - Page 1 of 2

Flow Control Device:

Disk



View Online at https://aerobasegroup.com/nsn/4820-01-434-5487

Disk Loading Method:			
Spring			
Bolt Hole Quantity:			
8 all ends			
Maximum Operating Temp:			
450.0 degrees fahrenheit single response			
End Application:			
Supply class aoe			
Valve Operation Method:			
Automatic			
Flange Shape:			
Round with holes all ends			
Connection Type:			
Flange all ends			
Valve Size:			
6.000 inches			
Maximum Operating Pressure:			
185.0 pounds per square inch single response			
Opening Pressure Setting:			
130.0 pounds per square inch			
Outside Diameter:			
9.000 inches 2nd end			
Thickness:			
1.312 inches 2nd end			
First Connection Face To Centerline Distance:			
7.750 inches			
Bolt Hole Diameter:			
0.875 inches 1st end			
Second Connection Face To Centerline Distance:			
8.250 inches			
Bolt Circle Diameter:			
9.500 inches 1st end			
Flange Face Design:			
Raised straight all ends			
Raised Face Height:			
0.062 inches all ends			
Raised Face Diameter:			
8.500 inches 1st end			
Special Features:			
Incl packed lifting lever; valve sz 4n6			

NSN 4820-01-434-5487

Safety Relief Valve - Page 2 of 2



			-
RΛ	late	ria	
IV	ale	:110	ı .

Stainless steel stem

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0