

View Online at <https://aerobasegroup.com/nsn/4820-01-434-6660>

**Flow Control Device:**

Disk

**Disk Loading Method:**

Spring

**Valve Discharge Flow Rate:**

18.0 gallons per minute

**Bolt Hole Quantity:**

4 all ends

**Maximum Operating Temp:**

500.0 degrees fahrenheit single response

**End Application:**

Supply class aoe

**Valve Operation Method:**

Automatic

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Valve Size:**

1.000 inches

**Adjustable Pressure Range:**

+56.0/+77.0 pounds per square inch

**Maximum Operating Pressure:**

1500.0 pounds per square inch single response

**Outside Diameter:**

0.500 inches 2nd end

**Thickness:**

0.562 inches 1st end

**First Connection Face To Centerline Distance:**

4.000 inches

**Bolt Hole Diameter:**

0.625 inches all ends

**Second Connection Face To Centerline Distance:**

4.250 inches

**Bolt Circle Diameter:**

3.125 inches 1st end

**Flange Face Design:**

Raised straight all ends

**Raised Face Height:**

0.062 inches all ends

**Raised Face Diameter:**

2.000 inches 1st end

**Special Features:**

Incl packing lifting lever

**Material:**

Steel comp 316 flow control device

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Style Designator:**

Err-090

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0