

View Online at <https://aerobasegroup.com/nsn/4820-01-436-6147>

**Flow Control Device:**

Disk

**Bonnet Type:**

Inside spring

**Bonnet Attachment Method:**

Bolted

**Disk Loading Method:**

Spring

**Bolt Hole Quantity:**

4 all ends

**Maximum Operating Temp:**

450.0 degrees fahrenheit single response

**Minimum Operating Temp:**

-20.0 degrees fahrenheit

**End Application:**

Strategic sealift conversion ships class

**Valve Operation Method:**

Automatic

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Valve Size:**

2.000 inches

**Adjustable Pressure Range:**

+130.0/+148.0 pounds per square inch

**Outside Diameter:**

6.000 inches 1st end

**Thickness:**

0.750 inches 1st end

**First Connection Face To Centerline Distance:**

4.500 inches

**Bolt Hole Diameter:**

0.750 inches 1st end

**Second Connection Face To Centerline Distance:**

4.125 inches

**Bolt Circle Diameter:**

4.750 inches 1st end

**Flange Face Design:**

Raised straight all ends

**Raised Face Height:**

0.062 inches all ends

**Raised Face Diameter:**

3.625 inches 1st end

**Material:**

Stainless steel stem

**Material Specification:**

Asme sa479, type 316 assn standard single material response flow control device

**Style Designator:**

Err-090

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0