## NSN 4820-01-438-5268

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-438-5268

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
100.0 degrees fahrenheit single response
End Application:
Strategic sealift conversion ships class
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.750 inches
Maximum Operating Pressure:
3705.0 pounds per square inch single response
Outside Diameter:
5.125 inches all ends
Face To Face Distance:
9.000 inches
Thickness:
1.000 inches all ends
Bolt Hole Diameter:
0.875 inches all ends
Bolt Circle Diameter:
3.500 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.250 inches all ends
Raised Face Diameter:
1.750 inches all ends
Material:
Steel uns k03504 body
Style Designator:

Err-090

## NSN 4820-01-438-5268

Globe Valve - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0