NSN 4820-01-439-5422

Globe Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-01-439-5422

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
15 all ends
Maximum Operating Temp:
425.0 degrees fahrenheit single response
End Application:
Supply class aoe
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
10.000 inches
Maximum Operating Pressure:
100.0 pounds per square inch single response
Outside Diameter:
15.000 inches all ends
Face To Face Distance:
26.000 inches
Thickness:
0.688 inches all ends
Bolt Hole Diameter:
0.812 inches all ends
Bolt Circle Diameter:
13.438 inches all ends
Flange Face Design:
Plain all ends
Special Features:
Stop check type valve
Material:
Nickel alloy flow control device
Style Designator:
Err-090
Furnished Items And Quantity:

1 handwheel

NSN 4820-01-439-5422

Globe Valve - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0