## NSN 4820-01-439-7437

Check Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-01-439-7437

Disk
Disk Loading Method:
Spring
Bolt Hole Quantity:
12 all ends
Maximum Operating Temp:
225.0 degrees fahrenheit single response
Minimum Operating Temp:
-60.0 degrees fahrenheit
End Application:
Strategic sealift conversion ships class
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal or vertical
Valve Size:
12.000 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Outside Diameter:
19.000 inches all ends
Face To Face Distance:
7.120 inches
Bolt Hole Diameter:
1.000 inches all ends
Bolt Circle Diameter:
17.000 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
15.000 inches all ends
Material:
Nickel alloy flow control device
Material Specification:
Astm b505 assn standard single material response body or astm b271, tr 954, 958 assn standard single material response body

## NSN 4820-01-439-7437

Check Valve - Page 2 of 2



Style	De	sia	nato	١r٠
OLYIC	De.	oig:	IIau	<i>,</i> ,

Straight through flanged ends

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A530b0