

View Online at <https://aerobasegroup.com/nsn/4820-01-439-7859>

Flow Control Device:

Disk

Disk Loading Method:

Spring

Bolt Hole Quantity:

8 all ends

Maximum Operating Temp:

225.0 degrees fahrenheit single response

Minimum Operating Temp:

-60.0 degrees fahrenheit

End Application:

Strategic sealift conversion ships class

Valve Operation Method:

Automatic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Mounting Position:

Horizontal or vertical

Valve Size:

5.000 inches

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

10.000 inches all ends

Bolt Hole Diameter:

0.875 inches all ends

Bolt Circle Diameter:

8.500 inches all ends

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

7.310 inches all ends

Material:

Steel comp 316 flow control device

Material Specification:

Astm a182 assn standard single material response flow control device or astm a479 assn standard single material response flow control device or astm a240 assn standard single material response flow control device or astm a351-cf8m assn standard single material response flow control device

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0