

View Online at <https://aerobasegroup.com/nsn/4820-01-439-7893>

Flow Control Device:

Disk

Disk Loading Method:

Spring

Bolt Hole Quantity:

4 all ends

Maximum Operating Temp:

225.0 degrees fahrenheit single response

Minimum Operating Temp:

-60.0 degrees fahrenheit

End Application:

Strategic sealift conversion ships class

Valve Operation Method:

Automatic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Mounting Position:

Horizontal or vertical

Valve Size:

2.000 inches

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

6.000 inches all ends

Face To Face Distance:

2.375 inches

Bolt Hole Diameter:

0.750 inches all ends

Bolt Circle Diameter:

4.750 inches all ends

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

3.620 inches all ends

Material:

Copper alloy body

Material Specification:

Astm b505 assn standard single material response flow control device or astm b271, gr 954, 958 assn standard single material response flow control device

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0