## NSN 4820-01-441-5270

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-441-5270

Flow Control Device:
Disk
Disk Loading Method:
Weight
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
100.0 degrees fahrenheit single response
End Application:
Mars class afs
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Facility:
Bracket
Mounting Position:
Horizontal
Valve Size:
2.500 inches
Maximum Operating Pressure:
285.0 pounds per square inch single response
Outside Diameter:
7.000 inches all ends
Face To Face Distance:
8.500 inches
Thickness:
0.938 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
<b>Bolt Circle Diameter:</b>
5.500 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
4.125 inches all ends
Special Features:
Valve, swing check type

## NSN 4820-01-441-5270

Check Valve - Page 2 of 2

A530b0



Material:
Steel body
Material Specification:
Astm a216, grade wcb assn standard single material response body
Surface Treatment:
Zinc
Style Designator:
Straight through flanged ends
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: