

View Online at <https://aerobasegroup.com/nsn/4820-01-445-2752>

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Union

Bolt Hole Quantity:

4 all ends

Maximum Operating Temp:

406.0 degrees fahrenheit 1st response

Minimum Operating Temp:

0.0 degrees fahrenheit

Valve Operation Method:

Manual

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Mounting Facility:

Bracket

Features Provided:

Bonnet packing

Valve Size:

0.500 inches

Maximum Operating Pressure:

225.0 pounds per square inch 2nd response

Outside Diameter:

3.500 inches all ends

Face To Face Distance:

3.312 inches

Thickness:

0.438 inches all ends

Bolt Hole Diameter:

0.625 inches all ends

Bolt Circle Diameter:

2.380 inches all ends

Flange Face Design:

Plain all ends

Special Features:

Rising stem

Material:

Copper alloy

Material Specification:

Astm b62 assn standard all material responses

Media For Which Designed:

Water-oil-gas 2nd response

Style Designator:

Err-090

Furnished Items And Quantity:

1 handwheel

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0